Nuclear Engineering and Design 139 (1993) 347–348
North-Holland

Author Index to Volume 139

Aoki, M., see Sakurai, T. 139 (1993) 311
Aoto, K., see Asayama, T. 139 (1993) 299
Asada, Y., K. Dozaki, M. Ueta, M. Ichimiya, K. Mori, K. Taguchi, M. Kitagawa, T. Nishida, T. Sakon and M. Sukekawa, Exploratory research on creep and fatigue properties of 9Cr-steels for the steam generator of an FBR 139 (1993) 269
Asada, Y., see Nakamura, T. 139 (1993) 333
Asada, Y., see Nonaka, I. 139 (1993) 293
Asada, Y., see Shimakawa, T. 139 (1993) 283
Asayama, T., K. Aoto and Y. Wada, Effect of nonproportional loading on creep-fatigue properties of 304 stainless steel at low strain ranges near the elastic region 139 (1993) 299

Baek, W.-P., see Hwang, D.-H. 139 (1993) 205
Bai, R.Y., see Schrock, V.E. 139 (1993) 127
Bankoff, S.G., see Lee, S.C. 139 (1993) 149
Becker, M., see Lee, C.C. 139 (1993) 17
Bessette, D., see Shotkin, L.M. 139 (1993) 141
Blinkov, V.N., see Nigmatulin, B.I. 139 (1993) 235
Bovalini, R. and F. D'Auria, Scaling of the accuracy of the Relap5/mod2 code 139 (1993) 187

Catton, I. and J. Marn, Some models for the prediction of fluid elastic instability 139 (1993) 105
Chang, S.H., see Hwang, D.-H. 139 (1993) 205
Chen, J.C., see Cokmez-Tuzla, A.F. 139 (1993) 97
Chexal, B., S. Pal Kalra, J.S. Horowitz and J.M. Healzer, Boiling water reactor fuel heatup during a loss of coolant while refueling 139 (1993) 121
Cokmez-Tuzla, A.F., K. Tuzla and J.C. Chen, Experimental assessment of liquid–wall contacts in post-CHF convective boiling 139 (1993) 97

D'Auria, F., see Bovalini, R. 139 (1993) 187
Deardorff, A.F., see Kim, J.H. 139 (1993) 83
Doi, H., see Shimakawa, T. 139 (1993) 283
Dozaki, K., see Asada, Y. 139 (1993) 269
Drew, D.A., see Haley, T.C. 139 (1993) 45
Driscoll, M.J., see Hejzlar, P. 139 (1993) 59

Ettemeyer, A., New techniques for nondestructive testing of piping systems in nuclear power plants 139 (1993) 183

Fauske, H.K., see Henry, R.E. 139 (1993) 31
Fukuda, Y., see Wada, H. 139 (1993) 261

Gakal, P.G., see Nigmatulin, B.I. 139 (1993) 235

Haley, T.C., R.T. Lahey, Jr. and D.A. Drew, A characteristic analysis of void waves using two-fluid models 139 (1993) 45
Hamada, K., K. Tokuno and T. Takeda, Dispersion hardening effects of Nb–V precipitates in Mod.9Cr–1Mo steels 139 (1993) 277
Healzer, J.M., see Chexal, B. 139 (1993) 121
Hejzlar, P., N.E. Todreas and M.J. Driscoll, Passive decay heat removal in advanced LWR concepts 139 (1993) 59
Henry, R.E. and H.K. Fauske, External cooling of a reactor vessel under severe accident conditions 139 (1993) 31
Hewitt, G.F., see Zhang, Q. 139 (1993) 1
Horowitz, J.S., see Chexal, B. 139 (1993) 121
Hwang, D.-H., W.-P. Baek and S.H. Chang, Development of a bundle correction method and its application to predicting CHF in rod bundles 139 (1993) 205

Ichimiya, M., see Asada, Y. 139 (1993) 269
Ichimiya, M., see Wada, H. 139 (1993) 261
Iwata, K., A two-surface cyclic plasticity model consistent with fundamental stress–strain equations of the power-law type 139 (1993) 319

Jankowski, M., see Kabanov, L. 139 (1993) 245
Jones, O.C., see Lee, C.C. 139 (1993) 17

Kabanov, L., M. Jankowski and H. Mauersberger, The IAEA Accident Management Programme 139 (1993) 245
Kaguchi, H., see Wada, H. 139 (1993) 261
Kaneko, H., see Nonaka, I. 139 (1993) 293
Kim, J.H., R.M. Roidt and A.F. Deardorff, Thermal stratification and reactor piping integrity 139 (1993) 83
Kimura, K., see Wada, H. 139 (1993) 261
Kitagawa, M., see Asada, Y. 139 (1993) 269
Kitagawa, M., see Nonaka, I. 139 (1993) 293

Lahey, Jr., R.T., see Haley, T.C. 139 (1993) 45
Lee, C.C., O.C. Jones and M. Becker, Thermofluid-neutronic stability of the rotating, fluidized bed, space power reactor 139 (1993) 17
Lee, S.C. and S.G. Bankoff, Prediction of the onset of flow instability in transient subcooled flow boiling 139 (1993) 149
Leslie, D.C., see Zhang, Q. 139 (1993) 1
Liem, P.H. and H. Sekimoto, Neutronic and thermal hydraulic design of the graphite moderated helium-cooled high flux reactor 139 (1993) 221

Marn, J., see Catton, I. 139 (1993) 105
Mauersberger, H., see Kabanov, L. 139 (1993) 245
Melikhov, O.I., see Nigmatulin, B.I. 139 (1993) 235
Mori, K., see Asada, Y. 139 (1993) 269

Nakamura, T. and Y. Asada, Extensive modeling of high temperature deformation for cyclically softening material 139 (1993) 333
Nigmatulin, B.I., O.I. Melikhov, V.N. Blinkov and P.G. Gakal, The numerical analysis of boiling flow instability in parallel heated channels 139 (1993) 235
Nishida, T., see Asada, Y. 139 (1993) 269
Nonaka, I., M. Kitagawa, H. Kaneko, T. Sato, M. Yamashita, K. Watashi and Y. Asada, Creep-fatigue crack propagation behavior in a surface cracked plate 139 (1993) 293

Pal Kalra, S., see Chexal, B. 139 (1993) 121
Peterson, P.F., see Schrock, V.E. 139 (1993) 127

Roidt, R.M., see Kim, J.H. 139 (1993) 83

Sakon, T., see Asada, Y. 139 (1993) 269
Sakurai, T., S. Sugai and M. Aoki, Life assessment of high-temperature components of thermal power plants in Japan 139 (1993) 311
Sato, T., see Nonaka, I. 139 (1993) 293
Schrock, V.E., P.F. Peterson and R.Y. Bai, A gas dynamic choking phenomenon in early time intense transient condensation 139 (1993) 127
Sekimoto, H., see Liem, P.H. 139 (1993) 221
Shimakawa, T., H. Takahashi, H. Doi, K. Watashi and Y. Asada, Creep–fatigue crack propagation tests and the development of an analytical evaluation method for surface cracked pipe 139 (1993) 283
Shotkin, L.M. and D. Bessette, The USNRC thermal-hydraulic research program 139 (1993) 141
Sugai, S., see Sakurai, T. 139 (1993) 311
Sukekawa, M., see Asada, Y. 139 (1993) 269
Suzuki, M., see Wada, H. 139 (1993) 261

Taguchi, K. and T. Uno, Determination of internal state variables and constitutive modeling for Type 316 stainless steel 139 (1993) 327
Taguchi, K., see Asada, Y. 139 (1993) 269
Takahashi, H., see Shimakawa, T. 139 (1993) 283
Takeda, T., see Hamada, K. 139 (1993) 277
Todreas, N.E., see Hejzlar, P. 139 (1993) 59
Tokuno, K., see Hamada, K. 139 (1993) 277
Tsai, C.S., Innovative design of viscoelastic dampers for seismic mitigation 139 (1993) 165
Tuzla, K., see Cokmez-Tuzla, A.F. 139 (1993) 97

Ueta, M., see Asada, Y. 139 (1993) 269
Ueta, M., see Wada, H. 139 (1993) 261
Uno, T., see Taguchi, K. 139 (1993) 327

Wada, H., H. Kaguchi, M. Ueta, M. Ichimiya, K. Kimura, Y. Fukuda and M. Suzuki, Proposal of a new estimation method for the thermal ratchetting of a cylinder subjected to a moving temperature distribution 139 (1993) 261
Wada, Y., see Asayama, T. 139 (1993) 299
Watashi, K., see Nonaka, I. 139 (1993) 293
Watashi, K., see Shimakawa, T. 139 (1993) 283

Yamashita, M., see Nonaka, I. 139 (1993) 293

Zhang, Q., G.F. Hewitt and D.C. Leslie, Nuclear safety code modelling of condensation in stratified flow 139 (1993) 1

Nuclear Engineering and Design 139 (1993) 349–350
North-Holland

Subject Index to Volume 139

Thermal and fluid design

Nuclear safety code modelling of condensation in stratified flow, Q. Zhang, G.F. Hewitt and D.C. Leslie 139 (1993) 1
Thermofluid-neutronic stability of the rotating, fluidized bed, space power reactor, C.C. Lee, O.C. Jones and M. Becker 139 (1993) 17
External cooling of a reactor vessel under severe accident conditions, R.E. Henry and H.K. Fauske 139 (1993) 31
A characteristic analysis of void waves using two-fluid models, T.C. Haley, R.T. Lahey, Jr. and D.A. Drew 139 (1993) 45
Passive decay heat removal in advanced LWR concepts, P. Hejzlar, N.E. Todreas and M.J. Driscoll 139 (1993) 59
Thermal stratification and reactor piping integrity, J.H. Kim, R.M. Roidt and A.F. Deardorff 139 (1993) 83
Experimental assessment of liquid–wall contacts in post-CHF convective boiling, A.F. Cokmez-Tuzla, K. Tuzla and J.C. Chen 139 (1993) 97
Some models for the prediction of fluid elastic instability, I. Catton and J. Marn 139 (1993) 105
Boiling water reactor fuel heatup during a loss of coolant while refueling, B. Chexal, S. Pal Kalra, J.S. Horowitz and J.M. Healzer 139 (1993) 121
A gas dynamic choking phenomenon in early time intense transient condensation, V.E. Schrock, P.F. Peterson and R.Y. Bai 139 (1993) 127
The USNRC thermal-hydraulic research program, L.M. Shotkin and D. Bessette 139 (1993) 141
Prediction of the onset of flow instability in transient subcooled flow boiling, S.C. Lee and S.G. Bankoff 139 (1993) 149
Scaling of the accuracy of the Relap5/mod2 code, R. Bovalini and F. D'Auria 139 (1993) 187
Development of a bundle correction method and its application to predicting CHF in rod bundles, D.-H. Hwang, W.-P. Baek and S.H. Chang 139 (1993) 205
Neutronic and thermal hydraulic design of the graphite moderated helium-cooled high flux reactor, P.H. Liem and H. Sekimoto 139 (1993) 221
The numerical analysis of boiling flow instability in parallel heated channels, B.I. Nigmatulin, O.I. Melikhov, V.N. Blinkov and P.G. Gakal 139 (1993) 235

Engineering mechanics

Innovative design of viscoelastic dampers for seismic mitigation, C.S. Tsai 139 (1993) 165
Proposal of a new estimation method for the thermal ratchetting of a cylinder subjected to a moving temperature distribution, H. Wada, H. Kaguchi, M. Ueta, M. Ichimiya, K. Kimura, Y. Fukuda and M. Suzuki 139 (1993) 261
Creep–fatigue crack propagation tests and the development of an analytical evaluation method for surface cracked pipe, T. Shimakawa, H. Takahashi, H. Doi, K. Watashi and Y. Asada 139 (1993) 283
Creep-fatigue crack propagation behavior in a surface cracked plate, I. Nonaka, M. Kitagawa, H. Kaneko, T. Sato, M. Yamashita, K. Watashi and Y. Asada 139 (1993) 293
Effect of nonproportional loading on creep-fatigue properties of 304 stainless steel at low strain ranges near the elastic region, T. Asayama, K. Aoto and Y. Wada 139 (1993) 299
A two-surface cyclic plasticity model consistent with fundamental stress–strain equations of the power-law type, K. Iwata 139 (1993) 319
Determination of internal state variables and constitutive modeling for Type 316 stainless steel, K. Taguchi and T. Uno 139 (1993) 327
Extensive modeling of high temperature deformation for cyclically softening material, T. Nakamura and Y. Asada 139 (1993) 333
Extensive modeling of high temperature deformation for cyclically softening material, T. Nakamura and Y. Asada 139 (1993) 333

Materials properties

Exploratory research on creep and fatigue properties of 9Cr-steels for the steam generator of an FBR, Y. Asada, K. Dozaki, M. Ueta, M. Ichimiya, K. Mori,

K. Taguchi, M. Kitagawa, T. Nishida, T. Sakon and M. Sukekawa 139 (1993) 269
Dispersion hardening effects of Nb–V precipitates in Mod.9Cr–1Mo steels, K. Hamada, K. Tokuno and T. Takeda 139 (1993) 277
Creep–fatigue crack propagation tests and the development of an analytical evaluation method for surface cracked pipe, T. Shimakawa, H. Takahashi, H. Doi, K. Watashi and Y. Asada 139 (1993) 283
Effect of nonproportional loading on creep-fatigue properties of 304 stainless steel at low strain ranges near the elastic region, T. Asayama, K. Aoto and Y. Wada 139 (1993) 299
Determination of internal state variables and constitutive modeling for Type 316 stainless steel, K. Taguchi and T. Uno 139 (1993) 327

Mechanical design, component fabrication and testing

New techniques for nondestructive testing of piping systems in nuclear power plants, A. Ettemeyer 139 (1993) 183
Creep–fatigue crack propagation tests and the development of an analytical evaluation method for surface cracked pipe, T. Shimakawa, H. Takahashi, H. Doi, K. Watashi and Y. Asada 139 (1993) 283

Miscellaneous

Life assessment of high-temperature components of thermal power plants in Japan, T. Sakurai, S. Sugai and M. Aoki 139 (1993) 311

Nuclear safety

Neutronic and thermal hydraulic design of the graphite moderated helium-cooled high flux reactor, P.H. Liem and H. Sekimoto 139 (1993) 221
The IAEA Accident Management Programme, L. Kabanov, M. Jankowski and H. Mauersberger 139 (1993) 245